

SCHEMA DI RILIEVO ACUSTICO (N° progressivo 18)
U.T. 496

COMUNE: REMANZACCO (UD) – POSTAZIONE: 30 GIORNO
RUMORE DA TRAFFICO VEICOLARE ,EVENTO ECCEZIONALE:
CANE CHE ABBAIA

Header information:

Device type SVAN 945A
Serial No. 4137
Internal software version ... 5.12
File system version 5.12

Original file name 22MA0630
Associated buffer name Buffer_7
Measurement hour 11:50'56
Measurement day 12/05/22
Device function LEVEL METER

Title text:

Input Microphone
Mic. polarization 200 V
Mic. field correction FREE
Mic. outdoor filter OFF
Compensation filter OFF
Measurement range 130 dB
Leq integration Linear
Trig. mode Off
Start delay 5 s
Integration time def. 15 m
Repetition cycle 1
Number of histograms 0
Calibration type Measurement
Calibration time 08:47'58
Calibration date 12/05/22
Rotation measurement OFF

Profile: #1 #2 #3

Weighting filter A A Lin
Detector type Fast Fast Imp.
Buffer contents definition .. RMS MAX MAX
Calibration factor 0.8 dB 0.8 dB 0.8 dB

RILIEVO EPURATO DALL'EVENTO ECCEZIONALE

Main results:

Start yy/mm/dd	Prof	Filter	Detect	Time hh:mm:ss	units	Peak	Min	Max	Spl	Leq
12/05/22	#1	A	Fast	00:15'00	dB	-----	38.0	78.6	80.4	62.6

